8 Ton Back-hoe Loader

HD96C

Tel: +27 83 408 0607 • Email: ebert.jvrenburg@revaro.co.za • WhatsApp/Cell:
Visit us at4 Alma Road White River, 1240

A member of the REVARO® Group of Companies

Tel: +27 83 408 0607 • Email: ebert.jvrenburg@revaro.co.za • WhatsApp/Cell:
Visit us at4 Alma Road White River, 1240

Tel: +27 83 408 0607 • Email: ebert.jvrenburg@revaro.co.za • WhatsApp/Cell:
Visit us at4 Alma Road White River, 1240

POWER BUILT FOR THE JOB.

The Revaro HD96C Backhoe Loader is built to deliver dependable performance,

versatility and control across demanding construction, earthmoving and material-handling

applications. Combining powerful loading capability with precise excavating performance,

the HD96C gives operators the flexibility to take on multiple tasks with one hardworking

machine.



FRONT LOADER PERFORMANCE.

Take control of demanding loading and material-handling tasks with a powerful 1.0 m³

front bucket. Responsive controls allow for smooth, accurate operation, while excellent

maneuverability and a compact turning radius help the HD96C work effectively in

confined jobsites and challenging working environments.

EXCAVATING WITH CONFIDENCE.

The rear excavator system is designed for productive, controlled digging and trenching. Excellent operator visibility, strong digging performance and precise bucket movement help improve efficiency across a wide range of applications. Large stabilizer feet provide added support and stability, even when operating on softer or uneven ground.

ONE MACHINE. MULTIPLE POSSIBILITIES.

From loading and site preparation to trenching, digging and material handling, the Revaro HD96C is engineered to work efficiently and deliver the versatility needed to keep your operation productive

Specs

General Specs	
Operating Weight	7 900kg
Loader Bucket Capacity	1.0m³
Digging Bucket	0.18m³
Engine Model	Yuchai YC4A105Z-T20
Engine Power	70kW
Transmission Type	Carraro TLB1-4WD Powershuttle
Gears	F4 / R4
Axle	Carraro 26.22-1920
Front Tyre	12.5-18
Rear Tyre	18.4-26
Fuel	135L
Overall Length	5 917mm
Overall Width	2 350mm
Overall Height	3 608mm
Wheelbase	2 170mm
Ground Clearance	363mm
Dump Angle	45°
Dump Height	2 693mm
Rated Power	94HP
Rated Load	1800kg